

## Shutdown Windows 2003 command prompt

Written by Zack Mills

Thursday, 28 January 2010 17:31 -

---

The Windows Server 2003 computer you are working on will not shut down. You don't have any luck using the Start menu or the [Ctrl][Alt][Delete] methods, and you need to restart the server as quickly as possible. There is a quick workaround that gets the job done – and you don't even have to handle power cords or the power switch.

From the command line, you can shut down or reboot any Windows Server 2003 computer (or even Windows XP or Vista machines) with the Shutdown.exe command. (**Note:** The exe file extension is optional for the Shutdown command.) Shutdown.exe contains a number of switches that allow you to specify different actions for the server when the Shutdown command executes. The Shutdown.exe switches are as follows:

/?	Displays the Help listing
/i	Displays the graphical user interface (GUI); <b>it must be the first option</b>
/l	Logs off the current user; <b>it cannot be used with the /d or /m options</b>
/s	Shuts down the computer
/r	Shuts down and restarts the computer
/g	Shuts down and restarts the computer and then restarts any registered applications
/a	Aborts system Shutdown
/p	Turns off the local computer with no timeout or warning
/h	Hibernates the local machine
/e	Documents the reason for

# Shutdown Windows 2003 command prompt

Written by Zack Mills

Thursday, 28 January 2010 17:31 -

	shutting down the computer
/m	Specifies the target computer; it is used with <code>\\\\\\computername</code>
/t xxx	Where xxx is the number of seconds before Shutdown
/c "comment"	Where "comment" is the reason for the Shutdown or restart
/f	Forces running applications to close without warning users
/d [p u] :]xx :yy	Provides the reason for the Shutdown action: p = planned; u = unplanned; xx supplies the major reason code; yy = supplies the minor reason code

When you enter a Shutdown with no arguments, the Help listing will display. The Help listing also includes the reason codes available for use with the /d switch. The reason codes are shown below:

<b>Reasons on this computer:</b>			
E=	U=	U=	P=
Exn	ex	Pl	c=Customer
pe	pecan		Defined
ct	tedne		
ed		d	
Ty	Maj	Mi	Title
pe	or	no	

# Shutdown Windows 2003 command prompt

Written by Zack Mills

Thursday, 28 January 2010 17:31 -

---

		r	
U	0	0	Other (Unplanned)
E	0	0	Other (Unplanned)
EP	0	0	Other (Planned)
U	0	5	Other Failure: System Unresponsive
E	1	1	Hardware: Maintenance (Unplanned)
EP	1	1	Hardware: Maintenance (Planned)
E	1	2	Hardware: Installation (Unplanned)
EP	1	2	Hardware: Installation (Planned)
P	2	3	Operating System: Upgrade (Planned)
E	2	4	Operating System: Reconfiguration (Unplanned)
EP	2	4	Operating System: Reconfiguration (Planned)
P	2	16	Operating System: Service Pack (Planned)
U	2	17	Operating System:

## Shutdown Windows 2003 command prompt

Written by Zack Mills

Thursday, 28 January 2010 17:31 -

---

			Hotfix (Unplanned)
P	2	17	Operating System: Hotfix(Plan ned)
U	2	18	Operating System: Security Fix(Unplann ed)
P	2	18	Operating System: Security Fix(Planned )
E	4	1	Application : Maintenance (Unplanned)
EP	4	1	Application : Maintenance (Planned)
EP	4	2	Application : Installatio n(Planned)
E	4	5	Application : Unresponsiv e
E	4	6	Application : Unstable
U	5	15	System Failure: Stop Error
E	5	19	Security Issue
U	5	19	Security Issue
EP	5	19	Security Issue
E	5	20	Loss of Network Connectivit y

## Shutdown Windows 2003 command prompt

Written by Zack Mills

Thursday, 28 January 2010 17:31 -

---

			(Unplanned)
U	6	11	Power Failure: Cord Unplugged
U	6	12	Power Failure: Environment
P	7	0	Legacy API Shutdown

You can use many of these switches in conjunction with one another when issuing the Shutdown command. A usage example for the Shutdown command follows:

```
Shutdown /r /c "Hanging Application or service" /t 30
```

This example would restart the local machine storing the comment provided with the /c switch. Windows would wait 30 seconds before initiating the restart. You might also create a batch file to use when it is necessary to restart a server in a remote location. The batch file might look like this:

```
Shutdown /m \\computername /r /c "Remote Restart" /t 45
```

By saving this command in a batch file, it can save you time if you routinely restart the same remote server.